



36MM STEP
FRITS AS INDICATED TO CORNER
SPACER BAR
FRIT DETAIL

FRITS AS INDICATED TO
FACE 2 & 3

NOTE:
FRIT BLACK TO FACE 2 & FACE 3
AS PER ATTACHED DETAILS
ALL HST GLASS AS PER SPECIFICATION
ALL BLACK SPACER BAR
XXX INDICATES FRITTED EDGE
CHANNEL= STAINLESS STEEL CHANNEL
GLASS= 12MM HST TG/12/6MM HST TG
CLEAR/LOW E GLASS
ALL UNITS SILICON SEALED
ARMOR PLATE HOLES TO BE COUNTERSUNK
AND SILICON SEALED & FRITTED

REVISIONS	DATE	BY	DESCRIPTION
E	4/9		DIMENSIONS AMENDED
D	26/8		DIMENSIONS AMENDED
C	22/8		GLASS 30MM UNIT
B	11/8		GLASS FIN ADDED
A	08/07		DEREK COMMENT NOTE

ADT Facade Solutions THE WILKINSON CENTRE SCR. ROAD 8	
PROJECT Structural Glazing	
ARCHITECT FACE	
DRAWN BY CT	SCALE @A3 N.T.S.
DATE 07/07	
TITLE GLASS SCHEDULE	
DWG. No. 2003-23-SCH-GLS02	REV. E

FOR APPROVAL
DATE: 4/9/03